# antibodies .- online.com





# anti-DYDC1 antibody (AA 101-177) (Alexa Fluor 647)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	DYDC1
Binding Specificity:	AA 101-177
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DYDC1 antibody is conjugated to Alexa Fluor 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human DYDC1	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

# **Target Details**

Target:	DYDC1
Alternative Name:	DYDC1 (DYDC1 Products)
Background:	Synonyms: DPY30 domain-containing protein 1, DPY30D1, DYDC1, DYDC1_HUMAN, RSD 9,

RSD9.

Background: The Dumpy-30 (DPY-30) protein was first described in C. elegans, in which it is involved in dosage compensation of sex chromosomes. Conserved from yeast to humans, the DPY-30 family is involved in gene expression and chromatin modification, specifically histone methylation. DPY-30 and closely related proteins contain a short motif that is related to the dimerization motif in the regulatory subunit of protein kinase A (PKA), which consists of two ?helices that form a four-helix bundle during dimerization. As a member of the DPY-30 family, DYDC1 (DPY30 domain-containing protein 1), also known as DPY30D1 and RSD9, is a 177 amino acid protein that binds to Endophilin III and plays a crucial role during acrosome biogenesis. DYDC1 is specifically expressed in brain and testis and accumulates in the acrosome area during spermatogenesis. Knockdown of DYDC1 mRNA results in disruption of acrosome formation and spermatid differentiation.

Gene ID:

143241

#### **Application Details**

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

## Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	