antibodies -online.com





anti-LRRC41 antibody (AA 331-430) (Alexa Fluor 350)



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL
Target:	LRRC41
Binding Specificity:	AA 331-430
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LRRC41 antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human LRRC41
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	LRRC41
Alternative Name:	LRRC41 (LRRC41 Products)

Target Details

Background:	Synonyms: elongin BC interacting leucine rich repeat protein, Leucine rich repeat containing 41,			
	Leucine rich repeat containing protein 41, MUF1, PP7759, LRC41_HUMAN.			
	Background: Chromosome 1 is the largest human chromosome spanning about 260 million			
	base pairs and making up 8 % of the human genome. There are about 3,000 genes on			
	chromosome 1, and considering the great number of genes there are also a large number of			
	diseases associated with chromosome 1. Notably, the rare aging disease Hutchinson-Gilford			
	progeria is associated with the LMNA gene which encodes lamin A. When defective, the LMNA			
	gene product can build up in the nucleus and cause characteristic nuclear blebs. The			
	mechanism of rapidly enhanced aging is unclear and is a topic of continuing exploration. The			
	MUTYH gene is located on chromosome 1 and is partially responsible for familial adenomatous			
	polyposis. Stickler syndrome, Parkinsons, Gaucher disease and Usher syndrome are also			
	associated with chromosome 1. A breakpoint has been identified in 1q which disrupts the			
	DISC1 gene and is linked to schizophrenia. Aberrations in chromosome 1 are found in a variety			
	of cancers including head and neck cancer, malignant melanoma and multiple myeloma.			
Gene ID:	10489			
Application Details				
Application Notes:	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months