# antibodies - online.com







# anti-GFOD2 antibody (AA 301-385) (Biotin)



Go to	Produ	uct	pad	e

( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	GFOD2
Binding Specificity:	AA 301-385
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GFOD2 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human GFOD2
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	GFOD2
Alternative Name:	GFOD2 (GFOD2 Products)
Background:	Synonyms: GFOD2, GFOD2_HUMAN, Glucose fructose oxidoreductase domain containing 2,

Glucose fructose oxidoreductase domain containing protein 2, Glucose-fructose oxidoreductase domain-containing protein 2, MGC11335.

Background: GFOD2 is a 385 amino acid secreted protein of the extracellular matrix that belongs to the gfo/idh/mocA family. Existing as two alternatively spliced isoforms, GFOD2 enhances matrix assembly and is encoded by a gene that maps to human chromosome 16q22.1. Chromosome 16 encodes over 900 genes and comprises nearly 3 % of the human genome. The GAN gene is located on chromosome 16 and, with mutation, may lead to giant axonal neuropathy, a nervous system disorder characterized by increasing malfunction with growth. The rare disorder Rubinstein-Taybi syndrome is also associated with chromosome 16, as is Crohn's disease, which is a gastrointestinal inflammatory condition.

Gene ID:

81577

### **Application Details**

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months