

Datasheet for ABIN1399290

anti-FBXO11 antibody (AA 65-160) (AbBy Fluor® 647)



Overview

Quantity:	100 μL
Target:	FBXO11
Binding Specificity:	AA 65-160
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FBXO11 antibody is conjugated to AbBy Fluor® 647
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human FBX011
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Cow, Sheep, Pig, Horse, Chicken
Purification:	Purified by Protein A.
Target Details	
Target:	FBXO11
Alternative Name:	FBXO11 (FBXO11 Products)
Background:	Synonyms: UBR6, VIT1, FBX11, PRMT9, UG063H01, F-box only protein 11, Protein arginine N-

	methyltransferase 9, Vitiligo-associated protein 1, VIT-1, FBXO11
	Background: Substrate recognition component of a SCF (SKP1-CUL1-F-box protein) E3
	ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent
	proteasomal degradation of target proteins, such as DTL/CDT2, BCL6 and PRDM1/BLIMP1.
	The SCF(FBXO11) complex mediates ubiquitination and degradation of BCL6, thereby playing a
	role in the germinal center B-cells terminal differentiation toward memory B-cells and plasma
	cells. The SCF(FBX011) complex also mediates ubiquitination and degradation of DTL, an
	important step for the regulation of TGF-beta signaling, cell migration and the timing of the cell-
	cycle progression and exit. Binds to and neddylates phosphorylated p53/TP53, inhibiting its transcriptional activity. SCF(FBXO11) does not seem to direct ubiquitination of p53/TP53.
Gene ID:	80204
UniProt:	Q86XK2
Pathways:	Sensory Perception of Sound
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months