# antibodies -online.com





## anti-FBXL21 antibody (AA 121-220) (Alexa Fluor 488)



Go to Product page

| $\sim$ |    |    |    |             |   |
|--------|----|----|----|-------------|---|
| ()     | VE | ۲۱ | /1 | $\triangle$ | Λ |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | FBXL21   |
| Binding Specificity: | AA 121-220   |
| Reactivity:          | Mouse  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This FBXL21 antibody is conjugated to Alexa Fluor 488  |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

### Product Details

| Immunogen:            | KLH conjugated synthetic peptide derived from human FBXL21/FBL3B |
|-----------------------|--|
| Isotype:              | IgG  |
| Cross-Reactivity:     | Mouse  |
| Predicted Reactivity: | Human,Rat,Dog,Cow,Sheep  |
| Purification:         | Purified by Protein A.   |

## **Target Details**

| Target:           | FBXL21                   |
|-------------------|--------------------------|
| Alternative Name: | FBXL21 (FBXL21 Products) |

#### Target Details

| Bac | kar | 'nΙ    | ın       | Ч. |
|-----|-----|--------|----------|----|
| Duo |     | $\sim$ | <i>.</i> | ч. |

Synonyms: F box and leucine rich repeat protein 21, F box and leucine rich repeat protein 3 pseudogene, F box and leucine rich repeat protein 3B, F box protein Fbl3b, F box/LRR repeat protein 21, F box/LRR repeat protein 3B, Fbl 21, FBXL 21, FBXL 21, FBL 3, FBL 3B, Fbl 3B, Fbl21, FBL3, FBL-3B, FBL 3B, FBL3B, FBXL 21, FBXL 3B, FBXL3B, FBXL3P, MGC120237, FXL21\_HUMAN.

Background: FBL3B is a 434 amino acid protein encoded by the human gene FBXL21. FBL3B contains one 40 amino acid F-box region, making it a member of the F-box family. FBL3B also contains three LRR (leucine-rich) repeats. F-box proteins are critical components of the SCF (Skp1-CUL-1-F-box protein) type E3 ubiquitin ligase complex and are involved in substrate recognition and recruitment for ubiquitination. F-box proteins are members of a large family that regulates cell cycle, immune response, signaling cascades and developmental programs by targeting proteins, such as cyclins, cyclin-dependent kinase inhibitors, IkB-a and b-catenin, for degradation by the proteasome after ubiquitination. FBL3B is a substrate-recognition component of the SCF complex that interacts with Skp1 p19 and CUL-1. FBL3B is also associated with expression and regulation of circadian and cryptochrome proteins.

Gene ID:

26223

Pathways:

Photoperiodism

#### **Application Details**

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

#### Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |

## Handling

| Storage:         | -20 °C  |
|------------------|---|
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date:     | 12 months   |