

[Go to Product page](#)

Datasheet for ABIN1399315
anti-FBXL21 antibody (AA 121-220) (Biotin)

Overview

Quantity:	100 µL
Target:	FBXL21
Binding Specificity:	AA 121-220
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FBXL21 antibody is conjugated to Biotin
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FBXL21/FBL3B
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep
Purification:	Purified by Protein A.

Target Details

Target:	FBXL21
Alternative Name:	FBXL21 (FBXL21 Products)

Target Details

Background:	<p>Synonyms: F box and leucine rich repeat protein 21, F box and leucine rich repeat protein 3 pseudogene, F box and leucine rich repeat protein 3B, F box protein Fbl3b, F box/LRR repeat protein 21, F box/LRR repeat protein 3B, Fbl 21, FBXL 21, FBXL-21, FBL 3, FBL 3B, Fbl21, FBL3, FBL-3B, FBL 3B, FBL3B, FBXL 21, FBXL 3B, FBXL 3P, FBXL3B, FBXL3P, MGC120237, FXL21_HUMAN.</p> <p>Background: FBL3B is a 434 amino acid protein encoded by the human gene FBXL21. FBL3B contains one 40 amino acid F-box region, making it a member of the F-box family. FBL3B also contains three LRR (leucine-rich) repeats. F-box proteins are critical components of the SCF (Skp1-CUL-1-F-box protein) type E3 ubiquitin ligase complex and are involved in substrate recognition and recruitment for ubiquitination. F-box proteins are members of a large family that regulates cell cycle, immune response, signaling cascades and developmental programs by targeting proteins, such as cyclins, cyclin-dependent kinase inhibitors, IκB-α and β-catenin, for degradation by the proteasome after ubiquitination. FBL3B is a substrate-recognition component of the SCF complex that interacts with Skp1 p19 and CUL-1. FBL3B is also associated with expression and regulation of circadian and cryptochrome proteins.</p>
Gene ID:	26223
Pathways:	Photoperiodism

Application Details

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μ g/ μ L
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months