

Datasheet for ABIN1399465

anti-XRCC4 antibody (AA 151-260) (Biotin)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Alternative Name:

Quantity:	100 μL
Target:	XRCC4
Binding Specificity:	AA 151-260
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This XRCC4 antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human XRCC4
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	XRCC4
A I + + : N	VDOO4 (VDOO4 Decelerty)

XRCC4 (XRCC4 Products)

Target Details

rarget Details		
Background:	Synonyms: DNA repair protein XRCC4, X-ray repair cross-complementing protein 4, XRCC4 Background: Involved in DNA non-homologous end joining (NHEJ) required for double-strand break repair and V(D)J recombination. Binds to DNA and to DNA ligase IV (LIG4). The LIG4- XRCC4 complex is responsible for the NHEJ ligation step, and XRCC4 enhances the joining activity of LIG4. Binding of the LIG4-XRCC4 complex to DNA ends is dependent on the assembly of the DNA-dependent protein kinase complex DNA-PK to these DNA ends.	
Gene ID:	7518	
UniProt:	Q13426	
Pathways:	DNA Damage Repair, Production of Molecular Mediator of Immune Response	
Application Details		
Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	
Expiry Date:	12 months	