antibodies - online.com







anti-C9ORF72 antibody (AA 391-481) (Biotin)



\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	100 μL
Target:	C9ORF72
Binding Specificity:	AA 391-481
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C90RF72 antibody is conjugated to Biotin
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human C9orf72	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Pig,Horse,Chicken	
Purification:	Purified by Protein A.	

Target Details

Target:	C90RF72
Alternative Name:	C9orf72 (C9ORF72 Products)

Target Details

Background:	Synonyms: ALSFTD, FTDALS, Protein C9orf72, C9orf72		
	Background: Chromosome 9 consists of about 145 million bases and 4 % of the human		
	genome and encodes nearly 900 genes. Considered to play a role in gender determination,		
	deletion of the distal portion of 9p can lead to development of male to female sex reversal, the		
	phenotype of a female with a male X,Y genotype. Hereditary hemorrhagic telangiectasia, which		
	is characterized by harmful vascular defects, is associated with the chromosome 9 gene		
	encoding endoglin protein, ENG. Familial dysautonomia is also associated with chromosome 9		
	though through the gene IKBKAP. Notably, chromosome 9 encompasses the largest interferon		
	family gene cluster. Chromosome 9 is partnered with chromosome 22 in the translocation		
	leading to the aberrant production of BCR-ABL fusion protein often found in leukemias. The		
	C9orf72 gene product has been provisionally designated C9orf72 pending further		
	characterization. There are two isoforms of C9orf72 that are produced as a result of alternative		
	splicing events.		
Gene ID:	203228		
UniProt:	Q96LT7		
Application Details			
Application Notes:	WB 1:300-5000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C for 12 months.		

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months