antibodies -online.com





anti-TAS2R38 antibody (AA 151-250) (Alexa Fluor 488)

2 Publications



Go to Product page

\sim			
	$ \backslash / \cap$	r\/I	$\triangle V$

Quantity:	100 μL	
Target:	TAS2R38	
Binding Specificity:	AA 151-250	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TAS2R38 antibody is conjugated to Alexa Fluor 488	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human T2R38/TAS2R38
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Chicken
Purification:	Purified by Protein A.

Target Details

Target:	TAS2R38
Alternative Name:	T2R38 (TAS2R38 Products)

Target Details

Background:	Synonyms: PTC, PTC bitter taste receptor, T2R38, T2R61, taste receptor, type 2, member 38,	
	T2R38_HUMAN.	
	Background: The sense of taste is essential for the survival of organisms. For example, the	
	ability to identify sweet-tasting foods enables animals to seek out food with high nutritive value,	
	whereas the ability to identify bitter substances enables them to avoid the ingestion of	
	potentially harmful substances. A family of integral membrane proteins are involved in taste	
	perception and include T1R, which is involved in sweet taste perception and T2R, which is	
	involved in bitter taste perception. Both types of taste receptors couple to various G proteins to	
	initiate signal transduction cascades. Specifically, T2R38 is expressed in subsets of taste	
	receptor cells of the tongue and exclusively in gustducin-positive cells. Variations in T2R38 are	
	associated with the ability to taste the bitter chemical phenylthiocarbamide (PTC), also called	
	thiourea tasting.	
Gene ID:	5726	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	

Publications

Product cited in:

Gaida, Dapunt, Hänsch: "Sensing developing biofilms: the bitter receptor T2R38 on myeloid cells." in: **Pathogens and disease**, Vol. 74, Issue 3, (2016) (PubMed).

Maurer, Wabnitz, Kahle, Stegmaier, Prior, Giese, Gaida, Samstag, Hänsch: "Tasting Pseudomonas aeruginosa Biofilms: Human Neutrophils Express the Bitter Receptor T2R38 as Sensor for the Quorum Sensing Molecule N-(3-Oxododecanoyl)-l-Homoserine Lactone." in: **Frontiers in immunology**, Vol. 6, pp. 369, (2015) (PubMed).