antibodies -online.com





anti-MEPE antibody (AA 201-300) (Alexa Fluor 350)



()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	MEPE
Binding Specificity:	AA 201-300
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MEPE antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MEPE
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	MEPE
Alternative Name:	MEPE (MEPE Products)

Target Details

Background:	Synonyms: Matrix extracellular phosphoglycoprotein, MEPE, MEPE_HUMAN, 0F45,	
	Osteoblast/osteocyte factor 45.	
	Background: MEPE is a 525 amino acid extracellular matrix protein. Expressed in osteocytes	
	and brain, MEPE is a regulator of bone metabolism that is thought to mediate mineralization	
	and demineralization within the osteocyte microenvironment. MEPE contains an RGD cell-	
	attachment motif and shares molecular similarities with several dentin-bone extracellular	
	matrix RGD-containing phosphoglycoproteins, including OPN (osteopontin) and DSP (dentin	
	sialophosphoprotein). Via its ability to control bone mineralization, MEPE is associated with	
	various developmental events such as skeletogenesis, bone regeneration and odontogenesis.	
	MEPE is secreted in hypophosphatemic osteomalacia tumors, suggesting a possible role in the	
	pathophysiology of bone-related cancers.	
Gene ID:	56955	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	