antibodies -online.com





anti-MEPE antibody (AA 201-300) (Biotin)



Overview		
Quantity:	100 μL	
Target:	MEPE	
Binding Specificity:	AA 201-300	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MEPE antibody is conjugated to Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human MEPE	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human	
Purification:	Purified by Protein A.	
Target Details		
Target:	MEPE	
Alternative Name:	MEPE (MEPE Products)	

Target Details

Background:	Synonyms: Matrix extracellular phosphoglycoprotein, MEPE, MEPE_HUMAN, 0F45,	
5	Osteoblast/osteocyte factor 45.	
	Background: MEPE is a 525 amino acid extracellular matrix protein. Expressed in osteocytes	
	and brain, MEPE is a regulator of bone metabolism that is thought to mediate mineralization	
	and demineralization within the osteocyte microenvironment. MEPE contains an RGD cell-	
	attachment motif and shares molecular similarities with several dentin-bone extracellular	
	matrix RGD-containing phosphoglycoproteins, including OPN (osteopontin) and DSP (dentin	
	sialophosphoprotein). Via its ability to control bone mineralization, MEPE is associated with	
	various developmental events such as skeletogenesis, bone regeneration and odontogenesis.	
	MEPE is secreted in hypophosphatemic osteomalacia tumors, suggesting a possible role in the	
	pathophysiology of bone-related cancers.	
Gene ID:	56955	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	
Expiry Date:	12 months	