

Datasheet for ABIN1400601

anti-DVL2 antibody (pThr224) (AbBy Fluor® 350)



Overview

Quantity:	100 μL
Target:	DVL2
Binding Specificity:	pThr224
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DVL2 antibody is conjugated to AbBy Fluor® 350
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
i Todact Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human DVL2 around the
	KLH conjugated synthetic phosphopeptide derived from human DVL2 around the phosphorylation site of Thr224
Immunogen:	phosphorylation site of Thr224
Immunogen: Isotype:	phosphorylation site of Thr224
Immunogen: Isotype: Specificity:	phosphorylation site of Thr224 IgG This antibody will recognize DVL3 when phosphorylated at Thr205
Immunogen: Isotype: Specificity: Cross-Reactivity:	phosphorylation site of Thr224 IgG This antibody will recognize DVL3 when phosphorylated at Thr205 Human, Mouse, Rat
Immunogen: Isotype: Specificity: Cross-Reactivity: Purification:	phosphorylation site of Thr224 IgG This antibody will recognize DVL3 when phosphorylated at Thr205 Human, Mouse, Rat

Target Details

Background:	Synonyms: Segment polarity protein dishevelled homolog DVL-2, Dishevelled-2, DSH homolog 2, DVL2 Background: Participates in Wnt signaling by binding to the cytoplasmic C-terminus of frizzled family members and transducing the Wnt signal to down-stream effectors. Promotes internalization and degradation of frizzled proteins upon Wnt signaling. Plays a role both in canonical and non-canonical Wnt signaling. Plays a role in the signal transduction pathways mediated by multiple Wnt genes (By similarity).
Gene ID:	1856
UniProt:	014641
Pathways:	Tube Formation
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months