.-online.com antibodies

Datasheet for ABIN1400640 anti-HIGD1A antibody (Alexa Fluor 647)



Overview	
Quantity:	100 μL
Target:	HIGD1A
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HIGD1A antibody is conjugated to Alexa Fluor 647
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human HIG1/HIGD1A
lsotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	HIGD1A
Alternative Name:	HIG1 (HIGD1A Products)
Background:	Synonyms: Hig1, HIG1 domain family member 1A, HIG1 domain family, member 1A, HIG1 hypoxia inducible domain family, member 1A, HIG1A_HUMAN, HIGD1A, HIMP1, Hypoxia- inducible gene 1 protein. Background: HIGD1A (HIG1 domain family member 1A), also known as HIG1 (hypoxia-inducible

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1400640 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	gene 1 protein) or HSPC010, is a 93 amino acid multi-pass membrane protein that contains one
	HIG1 domain. Existing as two alternatively spliced isoforms, the gene encoding HIGD1A maps
	to human chromosome 3, which contains approximately 214 million bases encoding over 1,100
	genes. Notably, there is a chemokine receptor gene cluster and a variety of human cancer
	related loci on chromosome 3. Particular regions of the chromosome 3 short arm are deleted in
	many types of cancer cells. Key tumor suppressing genes on chromosome 3 encode apoptosis
	mediator RASSF1, cell migration regulator HYAL1 and angiogenesis suppressor SEMA3B.
	Marfan Syndrome, porphyria, von Hippel-Lindau syndrome, osteogenesis imperfecta and
	Charcot-Marie-Tooth Disease are a few of the numerous genetic diseases associated with
	chromosome 3.
Gene ID:	25994
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.