-online.com antibodies

Datasheet for ABIN1401469 anti-CSPP1 antibody (Biotin)



Overview	
Quantity:	100 μL
Target:	CSPP1 (Cspp1)
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CSPP1 antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human CSPP1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	CSPP1 (Cspp1)
Alternative Name:	CSPP1 (Cspp1 Products)
Background:	Synonyms: Centrosome and spindle pole associated protein 1, CSPP 1, CSPP, FLJ22490,
	FLJ38886, CSPP1_HUMAN.
	Background: Centrosomes are dynamic organelles involved in many aspects of cell function
	and growth. Centrosomes act as microtubule organizing centers, and provide a site for

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1401469 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	concerted regulation of cell cycle progression. Duplication of centrosomes occurs once during each cell cycle and requires proper mitotic spindle formation and chromosome segregation. Defects in centrosome duplication or function are linked to many human diseases, including various forms of cancer. The centrosome and spindle pole-associated protein 1 (CSPP1) interacts with centrosomes and microtubules and may play a role in the regulation of G(1)/S- phase progression and spindle assembly. Two isoforms of CSPP1 exist as a result of alternative splicing events. Isoform 1 expression increases throughout the cell cycle and peaks
Cana ID:	in G2/M phase, whereas isoform 2 expression is highest in G1 phase and decreases thereafter.
Gene ID:	79848
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months