

Datasheet for ABIN1401473

anti-SERPINA10 antibody (AbBy Fluor® 555)



Go to Product page

_			
()	V/C	rv	٨/

Quantity:	100 μL	
Target:	SERPINA10	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SERPINA10 antibody is conjugated to AbBy Fluor® 555	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Conjugate:	This SERPINA10 antibody is conjugated to AbBy Fluor® 555	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ZPI/SERPINA10
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	SERPINA10	
Alternative Name:	SERPINA10 (SERPINA10 Products)	
Background:	Synonyms: Protein Z dependent protease inhibitor, Protein Z dependent protease inhibitor	
	precursor, Protein Z-dependent protease inhibitor, PZ dependent protease inhibitor, PZ-	
	dependent protease inhibitor, PZI, serine or cysteine proteinase inhibitor clade A alpha 1	
	antiproteinase antitrypsin member 10 , Serpin A10, Serpin peptidase inhibitor clade A alpha 1	

antiproteinase antitrypsin member 10, SERPINA 10, SERPINA10, ZPI, ZPI_HUMAN. Background: ZPI, also known as SERPINA10 (serpin peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 10) or PZI, is a 444 amino acid secreted protein that functions as a Protein Z-dependent protease inhibitor. Expressed by the liver, ZPI is secreted into the plasma where, in the presence of calcium, Protein Z and phospholipids, it inhibits the activated pro-coagulation factors X and XI (Factor X and Factor XI). This inhibition helps properly regulate intravenous blood clotting. ZPI, a member of the serpin protein family, contains five potential N-linked glycosylation sites and a tyrosine at position 387 which, when disrupted, renders ZPI inactive. Defects in the gene encoding ZPI may increase susceptibility to venous thrombosis, the formation of blood clots within a vein.

Gene ID:

51156

IF(IHC-P) 1:50-200

Application Details

Application Notes:

• •		
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	