-online.com antibodies

Datasheet for ABIN1401728 anti-RNF128 antibody (FITC)



Overview	
Quantity:	100 μL
Target:	RNF128
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNF128 antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human RNF128
Isotype:	lgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	RNF128
Alternative Name:	RNF128 (RNF128 Products)
Background:	Synonyms: E3 ubiquitin protein ligase RNF128, E3 ubiquitin-protein ligase RNF128, FLJ23516, Gene related to anergy in lymphocytes protein, GRAIL, ring finger protein 128, RN128_HUMAN, RNF128. Background: The protein encoded by this gene is a type I transmembrane protein that localizes

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1401728 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	to the endocytic pathway. This protein contains a RING zinc-finger motif and has been shown to possess E3 ubiquitin ligase activity. Expression of this gene in retrovirally transduced T cell hybridoma significantly inhibits activation-induced IL2 and IL4 cytokine production. Induced expression of this gene was observed in anergic CD4(+) T cells, which suggested a role in the induction of anergic phenotype. Alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Jul 2008].
Gene ID:	79589
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date:

Storage Comment:

Preservative:

Storage:

Precaution of Use:

12 months

handled by trained staff only.

ProClin

-20 °C