antibodies -online.com





Datasheet for ABIN1401974 anti-KATNA1 antibody (FITC)

Go to Product page

_							
\cup	V	е	rv	1	е	V	V

Quantity: 100 μL Target: KATNA1 Reactivity: Human, Mouse, Rat Host: Rabbit Clonality: Polyclonal Conjugate: This KATNA1 antibody is conjugated to FITC Application: Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	Overview	
Reactivity: Human, Mouse, Rat Host: Rabbit Clonality: Polyclonal Conjugate: This KATNA1 antibody is conjugated to FITC	Quantity:	100 μL
Host: Rabbit Clonality: Polyclonal Conjugate: This KATNA1 antibody is conjugated to FITC	Target:	KATNA1
Clonality: Polyclonal Conjugate: This KATNA1 antibody is conjugated to FITC	Reactivity:	Human, Mouse, Rat
Conjugate: This KATNA1 antibody is conjugated to FITC	Host:	Rabbit
	Clonality:	Polyclonal
Application: Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	Conjugate:	This KATNA1 antibody is conjugated to FITC
2	Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human KATNA1/Katanin p60 A1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

Target Details

rarget Details	
Target:	KATNA1
Alternative Name:	Katanin p60 A1 (KATNA1 Products)
Background:	Synonyms: Katanin p60 ATPase containing subunit A1, Katanin p60 ATPase-containing subunit
	A1, Katanin p60 subunit A1, KATNA1, KTNA1_HUMAN, p60 katanin.
	Background: Microtubules are polymers of alpha and beta subunits that form the mitotic
	spindle and assist in the organization of membranous organelles during interphase. Katanin

Target Details

p60 A1, also known as KATNA1, is a 491 amino acid protein that belongs to the AAA ATPase family and is involved in microtubule regulation. Localized to the cytoplasm and to the centrosome, Katanin p60 A1 functions to sever and disassemble microtubules in an ATP-dependent manner, thus promoting the rapid reorganization of cellular microtubule arrays and playing an important role in microtubule release from the centrosome after nucleation. Katanin p60 A1, which exists as two alternatively spliced isoforms, can homooligomerize into hexameric rings whose activity is stimulated by the presence of microtubules.

Gene ID:

11104

Pathways:

Microtubule Dynamics

For Research Use only

Application Details

Application Notes:	IF(IHC-P) 1:50-200

Handling

Restrictions:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months