antibodies -online.com





anti-ASZ1 antibody (AA 181-220) (Biotin)



Go to Product page

| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Overview | |
|----------------------|------------------------------------------------------------------------------------|
| Quantity: | 100 μL |
| Target: | ASZ1 |
| Binding Specificity: | AA 181-220 |
| Reactivity: | Human, Rat, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ASZ1 antibody is conjugated to Biotin |
| Application: | Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |
| Product Details | |

| Immunogen: | KLH conjugated synthetic peptide derived from human ASZ1 |
|-------------------|----------------------------------------------------------|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | Purified by Protein A. |

Target Details

| Target: | ASZ1 | |
|-------------------|-------------------------------------------------------------------------------------------------|--|
| Alternative Name: | ASZ1 (ASZ1 Products) | |
| Background: | Synonyms: ALP1, GASZ, Orf3, ANKL1, C7orf7, CT1.19, Ankyrin repeat, SAM and basic leucine | |
| | zipper domain-containing protein 1, Ankyrin-like protein 1, Germ cell-specific ankyrin, SAM and | |

basic leucine zipper domain-containing protein, ASZ1

Background: Plays a central role during spermatogenesis by repressing transposable elements and preventing their mobilization, which is essential for the germline integrity. Acts via the piRNA metabolic process, which mediates the repression of transposable elements during meiosis by forming complexes composed of piRNAs and Piwi proteins and governs the methylation and subsequent repression of transposons. Its association with pi-bodies suggests a participation in the primary piRNAs metabolic process. Required prior to the pachytene stage to facilitate the production of multiple types of piRNAs, including those associated with repeats involved in the regulation of retrotransposons. May act by mediating protein-protein interactions during germ cell maturation (By similarity).

Gene ID: 136991

UniProt: Q8WWH4

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|--------------------------------------------------------------------------------------------------------------------|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C for 12 months. |
| Expiry Date: | 12 months |