antibodies .- online.com





anti-MARCH3 antibody (Alexa Fluor 647)



| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μL | |
|-----------------|---|--|
| Target: | MARCH3 | |
| Reactivity: | Human, Mouse, Rat | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This MARCH3 antibody is conjugated to Alexa Fluor 647 | |
| Application: | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | |
| Product Details | | |

| Immunogen: | KLH conjugated synthetic peptide derived from human MARCH3 | |
|-------------------|--|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human, Mouse, Rat | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | MARCH3 | |
|-------------------|---|--|
| Alternative Name: | MARCH3 (MARCH3 Products) | |
| Background: | Synonyms: E3 ubiquitin-protein ligase MARCH3, FLJ20096, MARCH-III, March3, | |
| | MARH3_HUMAN, Membrane associated ring finger C3HC4 3, Membrane-associated RING | |
| | finger protein 3, Membrane-associated RING-CH protein III, RING finger protein 173, RNF173. | |
| | Background: Ubiquitination is an important mechanism through which three classes of | |

Target Details

enzymes act in concert to target short-lived or abnormal proteins for destruction. The three classes of enzymes involved in ubiquitination are the ubiquitin-activating enzymes (E1s), the ubiquitin-conjugating enzymes (E2s) and the ubiquitin-protein ligases (E3s). MARCH3 (membrane-associated ring finger (C3HC4) 3), also known as RNF173, is a 253 amino acid multi-pass membrane protein that localizes to cytoplasmic vesicles and early endosomes and contains one RING-CH-type zinc finger. Involved in the pathway of protein modification, MARCH3 functions as an E3 ubiquitin-protein ligase that accepts a ubiquitin residue from an E2 ubiquitin-conjugating enzyme and is thought to be involved in endosomal trafficking events.

Gene ID:

115123

Application Details

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|--|
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |