

Datasheet for ABIN1402537

anti-OGN antibody (Biotin)



Overview

Quantity:	100 μL
Target:	OGN
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OGN antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human OIF
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	OGN
Alternative Name:	OIF (OGN Products)
Background:	Synonyms: Corneal keratan sulfate proteoglycan, MIME_HUMAN, mimecan, Mimecan
	proteoglycan, OG, OGN, O, osteoglycin, osteoinductive factor, SLRR3A.
	Background: The small leucine-rich proteoglycan (SLRP) family of proteins contains various
	proteins such as Decorin, Biglycan, Fibromodulin, Keratocan, Lumican, Osteoadherin and
	r

Target Details

Osteoglycin. These proteins all have similar functions as they all mediate extracellular matrix organization and act as binding partners of TGF beta. Osteoglycin, which also may be designated osteoinductive factor (OIF), is a secreted protein detected in bone tissues.

Osteoglycin induces the formation of bone in conjunction with either TGF-beta-1 or TGF-beta-2. The precursor form of the OGN gene product, designated Mimecan, is subject to in situ proteolytic cleavage to yield the mature Osteoglycin.

Gene ID:

4969

Pathways:

Glycosaminoglycan Metabolic Process

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

12 months

Restrictions:

For Research Use only

Handling

Expiry Date:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.