antibodies .- online.com





anti-SLC2A4RG antibody (FITC)



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Overview		
Quantity:	100 μL	
Target:	SLC2A4RG	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SLC2A4RG antibody is conjugated to FITC	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human SLC2A4RG/GLUT4 enhancer factor	
leatypa:	laC	

Immunogen:	KLH conjugated synthetic peptide derived from human SLC2A4RG/GLUT4 enhancer factor	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Purification:	Purified by Protein A.	

Target Details

Target:	SLC2A4RG	
Alternative Name:	SLC2A4RG (SLC2A4RG Products)	
Background:	Synonyms: GEF, GLUT4 enhancer factor, HDBP 1, HDBP-1, HDBP1, Huntington disease gene regulatory region binding protein 1, Huntington disease gene regulatory region-binding protein 1, S2A4R_HUMAN, Si 1 2 19, Si 1 2, SLC2A4 regulator, SLC2A4RG, Zinc finger protein 2 5 Glut4 enhancer factor.	

Target Details

Background: The protein encoded by this gene is a nuclear transcription factor involved in the	
activation of the solute carrier family 2 member 4 gene. The encoded protein interacts with	
another transcription factor, myocyte enhancer factor 2, to activate transcription of this gene.	
[provided by RefSeq, Jul 2008].	
56731	

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only

AMPK Signaling

Handling

Gene ID:

Pathways:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months