# antibodies -online.com





Co to Droduct pag

#### Datasheet for ABIN1402965

# anti-REEP5 antibody (Alexa Fluor 350)

O	
Overview	
Quantity:	100 μL
Target:	REEP5
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This REEP5 antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
lmmunogen:	KLH conjugated synthetic pentide derived from human REEPS

Immunogen:	KLH conjugated synthetic peptide derived from human REEP5
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

## **Target Details**

Target:	REEP5
Alternative Name:	REEP5 (REEP5 Products)
Background:	Synonyms: C5orf18, DP1, Polyposis locus protein 1, Receptor expression enhancing protein 5, Receptor expression-enhancing protein 5, TB2, TB2 protein, D5S346,REEP5_HUMAN.
	Background: REEP5 is a 189 amino acid multi-pass membrane protein. Thought to promote the
	functional cell surface expression of olfactory receptors, REEP5 belongs to the DP1 family and

is encoded by a gene that maps to chromosome 5. With 181 million base pairs encoding around 1,000 genes, chromosome 5 is about 6 % of human genomic DNA. Chromosome 5 is associated with Cockayne syndrome through the ERCC8 gene and familial adenomatous polyposis through the adenomatous polyposis coli (APC) tumor suppressor gene. Treacher Collins syndrome is also chromosome 5 associated and is caused by insertions or deletions within the TCOF1 gene. Deletion of the p arm of chromosome 5 leads to Cri du chat syndrome. Deletion of 5q or chromosome 5 altogether is common in therapy-related acute myelogenous leukemias and myelodysplastic syndrome.

Gene ID:

7905

Pathways:

SARS-CoV-2 Protein Interactome

#### **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months