

Datasheet for ABIN1403000

anti-JMJD7 antibody (FITC)



Overview

| Quantity: | 100 μL |
|-------------------|---|
| Target: | JMJD7 |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This JMJD7 antibody is conjugated to FITC |
| Application: | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic peptide derived from human JMJD7 |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | Purified by Protein A. |
| Target Details | |
| Target: | JMJD7 |
| Alternative Name: | JMJD7 (JMJD7 Products) |
| Background: | Synonyms: JmjC domain-containing protein 7, JMJD7, JMJD7_HUMAN, Jumonji domain |
| | containing 7, Jumonji domain-containing protein 7. |
| | Background: A crucial regulator of chromatin dynamics and DNA transcription is the covalent |

modification and methylation of histones. Generally, methylation of certain lysine residues on

Histone H3 and Histone H4 can be associated with transcriptionally active or inactive chromatin. This regulation has profound effects on the expression of genes and is part of an epigenetic memory network that determines cell fate. JMJD7 (Jumonji domain-containing protein 7) is a member of a family of JMJC domain-containing histone demethylases that are directly involved in removing methyl residues from distinct and unique lysine residues. These actions are implicated in gene expression and the regulation of cell senescence. JMJC domain-containing histone demethylases are also likely involved in development via their ability to regulate gene expression. JMJD7 contains one JMJC domain and was originally thought to be an alternatively spliced isoform of PLA2G4B.

Application Details

Application Notes:

Storage:

Expiry Date:

Storage Comment:

| Restrictions: | For Research Use only |
|--------------------|--|
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

IF(IHC-P) 1:50-200

handled by trained staff only.

-20 °C

12 months