

Datasheet for ABIN1403083

anti-Coagulation Factor IX antibody (Biotin)



(11		r 1	ri	\sim	1 A /
U	V	Ч	rv	ı	С	V۷

Overview			
Quantity:	100 μL		
Target:	Coagulation Factor IX (F9)		
Reactivity:	Human, Mouse, Rat		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This Coagulation Factor IX antibody is conjugated to Biotin		
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))		
Product Details			
Immunogen:	KLH conjugated synthetic peptide derived from human Coagulation factor IXa heavy chain		
Isotype:	IgG		
Cross-Reactivity:	Human, Mouse, Rat		
Purification:	Purified by Protein A.		
Target Details			
Target:	Coagulation Factor IX (F9)		
Alternative Name:	Factor 9 (F9 Products)		
Background:	Synonyms: Christmas Disease, Christmas factor, Coagulant factor IX, Coagulation factor 9, Coagulation factor IX plasma thromboplastic component, Coagulation factor IX, Coagulation factor IXa heavy chain, F9, FA9_HUMAN, Factor 9, Factor IX Deficiency, Factor 9, Factor IX, FIX,		
	GLA domain, Haemophilia B, MGC129641, MGC129642, P19 antibody Plasma thromboplastic		

component, Plasma thromboplastin component, PTC, Truncated coagulation factor IX. Background: Hemostasis following tissue injury involves the deployment of essential plasma procoagulants (prothrombin, and factors X, IX, V, and VIII), which are involved in a blood coagulation cascade that leads to the formation of insoluble fibrin clots and the promotion of platelet aggregation (1-3). Coagulation factor IX (plasma thromboplastic component, F9, F.IX, HEMB) is a vitamin K-dependent, single chain serine protease that is synthesized in the liver and circulates as an inactive precursor (3,4). Factor XIa mediated proteolytic cleavage of factor IX generates factor IXa, an active serine protease composed of a 145 amino acid light chain and a 236 amino acid catalytic heavy chain, linked through disulfide bonds (5). Genetic alterations at the Factor IX locus such as point mutations, insertions and deletions, can lead to hemophilia B, also known as Christmas disease (6).

Gene ID:

2158

Application Details

Application Notes: WB 1:300-5000 IHC-P 1:200-400

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months