

Datasheet for ABIN1403175  
**anti-ALAS2 antibody (AbBy Fluor® 350)**



[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	ALAS2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ALAS2 antibody is conjugated to AbBy Fluor® 350
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ALAS2/ALAS-E
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

## Target Details

Target:	ALAS2
Alternative Name:	ALAS-E ( <a href="#">ALAS2 Products</a> )
Background:	Synonyms: 5-aminolevulinate synthase, erythroid-specic, mitochondrial, 5-aminolevulinic acid synthase, ALAS E, ALASE, ANH1, Delta aminolevulinate synthase, XLSA, 5 aminolevulinic acid synthase 2, 5-aminolevulinate synthase 2, 5-aminolevulinate synthase, 5-aminolevulinate synthase 2, Alas 2, ALAS, ALAS E, ALAS, erythroid, ALASE, Aminolevulinate, delta-, synthase 2,

## Target Details

Aminolevulinic acid synthase 2, erythroid, ANH1, ASB, Delta ALA synthase 2, Delta ALA synthetase, Delta aminolevulinate synthase 2, Delta aminolevulinate synthase, Erythroid specific ALAS, FLJ93603, XLDPP, XLSA.

Background: 5-aminolevulinate synthase 1 (ALAS-H) and 2 (ALAS-E) are two isoforms of ALAS, an enzyme catalyzing the first step of the heme biosynthetic pathway in mammals. The erythroid-specific isoenzyme, ALAS-E, regulates the first step of hematopoietic cell differentiation and iron metabolism in the liver. ALAS-H is a housekeeping protein which mediates synthesis of early heme in the mitochondria of most cells. Succinyl CoA associates with ALAS-E in protein conformation change and translocation of ALAS-E into the mitochondria and does not interact with ALAS-H. The ALAS-E 5'-flanking region contains binding sites for nuclear activators such as GATA-1, NF-E2 and EKLF. Since the ALAS gene maps to the X chromosome, mutation of the gene leads to the pyridoxine-refractory X-linked sideroblastic anemia.

Gene ID:	212
Pathways:	<a href="#">Transition Metal Ion Homeostasis</a>

## Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months