antibodies -online.com







anti-CRYGS antibody (Alexa Fluor 555)



\sim			
	N/P	r\/	i⊢₩

Quantity: 100 μL Target: CRYGS Reactivity: Human, Mouse, Rat Host: Rabbit Clonality: Polyclonal Conjugate: This CRYGS antibody is conjugated to Alexa Fluor 555 Application: Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))		
Reactivity: Human, Mouse, Rat Host: Rabbit Clonality: Polyclonal Conjugate: This CRYGS antibody is conjugated to Alexa Fluor 555	Quantity:	100 μL
Host: Rabbit Clonality: Polyclonal Conjugate: This CRYGS antibody is conjugated to Alexa Fluor 555	Target:	CRYGS
Clonality: Polyclonal Conjugate: This CRYGS antibody is conjugated to Alexa Fluor 555	Reactivity:	Human, Mouse, Rat
Conjugate: This CRYGS antibody is conjugated to Alexa Fluor 555	Host:	Rabbit
	Clonality:	Polyclonal
Application: Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	Conjugate:	This CRYGS antibody is conjugated to Alexa Fluor 555
	Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	Droduot Dotaile	

Immunogen:	KLH conjugated synthetic peptide derived from human gamma crystallin S	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

l arget Details	
Target:	CRYGS
Alternative Name:	gamma crystallin S (CRYGS Products)
Background:	Synonyms: rncat, Al327013, Beta-crystallin S, CRBS_HUMAN, CRYG8, crygs, Crystallin, gamma 8, Crystallin, gamma polypeptide 8, Crystallin, gamma S, Gamma crystallin S, Gamma S
	crystallin, Gamma-crystallin S, Gamma-S-crystallin, recessive nuclear cataract, Opj. Background: Crystallins are water soluble structural proteins found in the vertebrate eye.

 $Order\ at\ www. antibodies-online. com\ |\ www. antiboerper-online. de\ |\ www. antiboerper-online. cn\ |\ www. antibodies-online. cn\ |\ www. antiboerper-online. cn\ |\ www. antiboerper-o$ International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1403531 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Mammalian crystallins are classified in three forms, designated , _ and _. Crystallins, as the principal components of the lens, function to increase the refractive index of the eye during accommodation by forming high-molecular weight aggregates which maintain transparency. _S-crystallin (Gamma-crystallin S), also known as Beta-crystallin S, is a 178 amino acid protein that exists as a monomer which does not aggregate. _S-crystallin contains a two-domain beta structure and belongs to the beta/gamma-crystallin gene family mapping to human chromosome 3. _S-crystallin has been linked to congenital cataract development, a disorder signified by increasing levels of lens opacity.

Application Details

Expiry Date:

12 months

Application Notes:	IF(IHC-P) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	