-online.com antibodies

Datasheet for ABIN1404242 anti-NHEDC2 antibody (FITC)



Overview	
Quantity:	100 µL
Target:	NHEDC2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NHEDC2 antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human NHEDC2
lsotype:	lgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	NHEDC2
Alternative Name:	NHEDC2 (NHEDC2 Products)
Background:	Synonyms: NHA2, Mitochondrial Na+/H+ exchanger NHA2, Mitochondrial sodium/hydrogen exchanger NHA2, Na+/H+ exchanger like domain containing protein 2, Na+/H+ exchanger domain containing 2, NHE domain containing protein 2, NHE10, NHEDC 2, Sodium/hydrogen

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1404242 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

exchanger like domain containing protein 2, SL9B2_HUMAN.

Expiry Date:	12 months
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Storage:	-20 °C
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Preservative:	ProClin
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Concentration:	1 μg/μL
Format:	Liquid
Handling	
Restrictions:	For Research Use only
Application Notes:	IF(IHC-P) 1:50-200
Application Details	
Pathways:	Proton Transport
Gene ID:	133308
	produced by alternative splicing events.
	differentiation. As a multi-pass membrane protein, NHEDC2 is expressed as two isoforms
	Found in red blood cells, NHEDC2 is required for bone resorption activity and osteoclast
	amino acid mitochondrial protein. NHEDC2 is involved in organelle volume homeostasis by catalyzing the exchange of protons for Na+ and Li+ across the inner mitochondrial membrane.
	NHEDC2 (Na+/H+ exchanger-like domain-containing protein 2), also known as NHA2, is a 537
	across membranes in organisms and are required for numerous physiological processes.
	Background: Na+/H+ exchangers (NHEs) catalyze the transport of Na+ in exchange for H+

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1404242 | 03/07/2024 | Copyright antibodies-online. All rights reserved.