# antibodies -online.com





## anti-PDE4A antibody (Alexa Fluor 350)



Go to Product page

| $\sim$ |    |    |    |             |   |
|--------|----|----|----|-------------|---|
| ()     | VE | ۲۱ | /1 | $\triangle$ | Λ |

| Quantity:  | 100 μL  |
|--|---|
| Target:  | PDE4A   |
| Reactivity:  | Human, Mouse, Rat   |
| Host:  | Rabbit  |
| Clonality:   | Polyclonal  |
| Conjugate:   | This PDE4A antibody is conjugated to Alexa Fluor 350                            |
| Application:   | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |
| Product Details  |   |
|  |   |
| Immunogen:   | KLH conjugated synthetic peptide derived from human PDE4A8                      |
| Immunogen: Isotype:  | KLH conjugated synthetic peptide derived from human PDE4A8                      |
|  |   |
| Isotype:   | IgG   |
| Isotype: Cross-Reactivity:                                 | IgG<br>Human, Mouse, Rat  |
| Isotype:  Cross-Reactivity:  Purification:                 | IgG<br>Human, Mouse, Rat  |
| Isotype:  Cross-Reactivity:  Purification:  Target Details | IgG Human, Mouse, Rat Purified by Protein A.                                    |

Background: The PDE4A8 is a testis germ cell-specific PDE4A variant. There are two PDE4A

variants identified in rat testis (PDE4A8 and an un-characterized 76 kDa PDE4A protein).

4A8, PDE4A\_HUMAN.

#### **Target Details**

| Spermatogenesis is accompanied by expression of a varied repertoire of PDE4 enzymes at          |    |  |
|---|----|--|
| different stages of cell differentiation that presumably perform specialized functions. Confoca | al |  |
| microscopic examination revealed the presence of PDE4A8 in primary and secondary                |    |  |
| spermatids but not in mature spermatozoa. PDE4A8 inhibition results in increased apoptosis      | of |  |
| the germ cells accompanied with reduction in the number of mature spermatozoa.                  |    |  |
| 51/1  |    |  |

Gene ID:

5141

Pathways:

cAMP Metabolic Process

## Application Details

| Application Notes: | IF(IHC-P) 1:50-200    |
|--------------------|-----------------------|
| Restrictions:      | For Research Use only |

### Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | -20 °C   |
| Storage Comment:   | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                                  |
| Expiry Date:       | 12 months  |