# antibodies -online.com





Datasheet for ABIN1404499

## anti-PTPLA antibody (Biotin)



| $\sim$ |       |
|--------|-------|
| ( )\/\ | rview |
| $\cup$ |       |

| Quantity:    | 100 μL   |
|--------------|--|
| Target:      | PTPLA  |
| Reactivity:  | Human, Mouse, Rat  |
| Host:        | Rabbit   |
| Clonality:   | Polyclonal   |
| Conjugate:   | This PTPLA antibody is conjugated to Biotin  |
| Application: | Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

#### **Product Details**

| Immunogen:        | KLH conjugated synthetic peptide derived from human Brd4/CAP |
|-------------------|--|
| Isotype:          | IgG  |
| Cross-Reactivity: | Human, Mouse, Rat  |
| Purification:     | Purified by Protein A.                                       |

## **Target Details**

| Target:           | PTPLA   |
|-------------------|---|
| Alternative Name: | CAP (PTPLA Products)  |
| Background:       | Synonyms: Brd4, BRD4_HUMAN, bromodomain containing protein 4, Bromodomain-containing protein 4, CAP, chromosome associated protein, HUNK1, Protein HUNK1. |
|                   | Background: Brd4 belongs to the BET family, a group of structurally related proteins containing   |
|                   | two bromodomains. Through these two domains, Brd4 associates with mitotic chromosomes   |

#### **Target Details**

| and its expression correlates with cell growth. Expression of Brd4 inhibits cell cycle progression |
|--|
| from G(1) to S, due to binding to the largest subunit of replication factor C (RFC) to prevent DNA |
| elongation. Altered Brd4 function correlates with poorly differentiated carcinoma, with            |
| aggresive phenotype and a highly lethal outcome.   |
|  |

Gene ID: 23476

UniProt: 060885

Pathways: Regulation of long-term Neuronal Synaptic Plasticity

## **Application Details**

Application Notes: WB 1:300-5000

IHC-P 1:200-400

Restrictions: For Research Use only

## Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | -20 °C   |
| Storage Comment:   | Store at -20°C for 12 months.  |
| Expiry Date:       | 12 months  |