antibodies .- online.com





anti-FGF18 antibody (AA 95-145) (Biotin)



Go to Product page

\sim			
	N/P	r\/I	i⊢₩

Background:

Quantity:	100 μL
Target:	FGF18
Binding Specificity:	AA 95-145
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FGF18 antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Product Details Immunogen:	KLH conjugated synthetic peptide derived from human FGF18
	KLH conjugated synthetic peptide derived from human FGF18
Immunogen:	
Immunogen: Isotype:	IgG
Immunogen: Isotype: Cross-Reactivity:	IgG Human, Mouse, Rat
Immunogen: Isotype: Cross-Reactivity: Purification:	IgG Human, Mouse, Rat

Synonyms: FGF 18, FGF18, FGF-18, Fibroblast Growth Factor 18, ZFGF5, FGF18_HUMAN. Background: FGF18 is a member of the fibroblast growth factor (FGF) family. FGF family

members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth, and invasion. It has been shown in vitro that this protein is able to induce neurite outgrowth in PC12 cells. Studies of the similar proteins in mouse and chick suggested that this protein is a pleiotropic growth factor that stimulates proliferation in a number of tissues, most notably the liver and small intestine. Knockout studies of the similar gene in mice implied the role of this protein in regulating proliferation and differentiation of midline cerebellar structures.

Gene ID: 8817

UniProt: 076093

Pathways: Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling

Pathway

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months