# antibodies -online.com





Datasheet for ABIN1404553

# anti-PROSER2 antibody (Biotin)



( )	11/0	K\ /	iew	1
	$\cup$	ועוי	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	PROSER2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PROSER2 antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human C10orf47	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

#### Target Details

l arget Details	
Target:	PROSER2
Alternative Name:	C10orf47 (PROSER2 Products)
Background:	Synonyms: C10orf47, Chromosome 10 open reading frame 47, CJ047_HUMAN, Hypothetical protein L0C254427, MGC35403, Uncharacterized protein C10orf47.
	Background: C10orf47 is a 435 amino acid protein that exists as two alternatively spliced
	isoforms that are encoded by a gene located on human chromosome 10. Spanning nearly 135

#### **Target Details**

million base pairs, chromosome 10 makes up approximately 4.5 % of total DNA in cells and encodes nearly 1,200 genes. Several protein-coding genes, including those that encode for chemokines, cadherins, excision repair proteins, early growth response factors (Egrs) and fibroblast growth receptors (FGFRs), are located on chromosome 10. Defects in some of the genes that map to chromosome 10 are associated with Charcot-Marie Tooth disease, Jackson-Weiss syndrome, Usher syndrome, nonsyndromatic deafness, Wolman?s syndrome, Cowden syndrome, multiple endocrine neoplasia type 2 and porphyria.

Gene ID:

254427

## **Application Details**

Application Notes:	WB 1:300-5000
	IHC-P 1:200-400

Restrictions:

For Research Use only

## Handling

Format:	Liquid
FUIIIIal.	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months