
antibodies .- online.com







anti-C2orf40 antibody (Biotin)



\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL	
Target:	C2orf40	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This C2orf40 antibody is conjugated to Biotin	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ECRG4/C2orf40	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

Target Details

Target:	C2orf40	
Alternative Name:	ECRG4 (C2orf40 Products)	
Background:	Synonyms: AUGN_HUMAN, Augurin, C2orf40, Esophageal cancer-related gene 4 protein.	
	Background: ECRG4, also known as augurin or C2orf40, is a 148 amino acid secreted protein.	
	Belonging to the augurin family, ECRG4 is thought to be a hormone. It has also been suggested	
	that ECRG4 may act as a tumor suppressor. The gene that encodes ECRG4 maps to human	

Target Details

chromosome 2, which consists of 237 million bases encoding over 1,400 genes, making up approximately 8 % of the human genome. A number of genetic diseases are linked to genes on chromosome 2. Harlequin icthyosis, a rare and morbid skin deformity, is associated with mutations in the ABCA12 gene. The lipid metabolic disorder sitosterolemia is associated with ABCG5 and ABCG8. An extremely rare recessive genetic disorder, Alstr syndrome is due to mutations in the ALMS1 gene. Interestingly, chromosome 2 contains what appears to be a vestigial second centromere and vestigial telomeres which gives credence to the hypothesis that human chromosome 2 is the result of an ancient fusion of two ancestral chromosomes.

Gene ID:

84417

Application Details

Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months