antibodies.com

Datasheet for ABIN1405060 anti-HCN3 antibody (Alexa Fluor 488)



Overview	

Overview	
Quantity:	100 μL
Target:	HCN3
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HCN3 antibody is conjugated to Alexa Fluor 488
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human HCN3
lsotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	HCN3
Alternative Name:	HCN3 (HCN3 Products)
Background:	Synonyms: Hcn3, HCN3_HUMAN, hyperpolarization activated cyclic nucleotide-gated
	potassium channel 3, KIAA1535, potassium/sodium hyperpolarization-activated cyclic
	nucleotide-gated channel 3.
	Background: Hyperpolarization-activated, cyclic nucleotide-binding channels (HCN) are voltag

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1405060 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	gated cation channels that are activated by direct binding of intracellular cyclic nucleotides. The
	HCN family consists of four members (HCN1-4), each with a core transmembrane segment
	domain and a C-terminal 120 amino-acid cyclic nucleotide-binding domain motif. HCN channels
	are expressed in the brain, heart, thalamus and testis. The pacemaker properties of HCN
	channels contribute to spontaneous rhythmic activity in the brain and heart. HCN3 contains a
	segment characterized by a series of positively charged amino acids at every third position.
	This region designated S4 is likely to be the voltage sensor of the protein. In the brain, HCN3
	and HCN4 exhibit subcortical distribution mainly concentrated in the hypothalamus and
	thalamus, respectively.
Gene ID:	57657
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months