antibodies.com

## Datasheet for ABIN1405120 anti-MYLK2 antibody (Alexa Fluor 488)



Overview

y is conjugated to Alexa Fluor 488
y is conjugated to Alexa Fluor 488
y is conjugated to Alexa Fluor 488
y is conjugated to Alexa Fluor 488
y is conjugated to Alexa Fluor 488
y is conjugated to Alexa Fluor 488
B), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
thetic peptide derived from human MYLK2
м.
ducts)
ILCK, MLCK2, MYLK 2, Myosin light chain kinase 2, Myosin light chain Iscle, Myosin light chain kinase 2 skeletal/cardiac muscle, Skeletal muscle inase, Skeletal myosin light chain kinase, skMLCK, MYLK2_HUMAN.
1

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1405120 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

Pathways:	Myometrial Relaxation and Contraction, Regulation of Muscle Cell Differentiation
Gene ID:	85366
	activity and myosin light chain phosphorylation.
	for PAKs (p21-activated kinases). PAK1 interaction with MYLK results in a decrease in MYLK
	encoded by a separate gene, MYLK2 (also designated skMLCK). MYLK appears to be a target
	in a wide variety of adult and fetal tissues. The skeletal/cardiac muscle isoforms of MYLK are
	described for the MYLK gene. Smooth-muscle and non-muscle MYLK isoforms are expressed
	the capacity to stabilize unphosphorylated myosin filaments. Multiple transcript variants are
	isoforms as well as telokin, a small C-terminal isoform expressed only in smooth muscle with
	exist. The MYLK gene (also designated MYLK1) encodes both smooth muscle and non-muscle
	contractile activity. Non-muscle, smooth muscle and skeletal/cardiac muscle MYLK isoforms
	myosin regulatory light chains to catalyze myosin interaction with actin filaments resulting in
	myosin light chain kinases (MYLK, also designated MLCK). The MYLK kinases phosphorylate
	related subfamily of serine/threonine kinases that includes CaMKI, CaMKII, CaMKIV and

## Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1405120 | 03/07/2024 | Copyright antibodies-online. All rights reserved.