

[Go to Product page](#)

Datasheet for ABIN1405293

anti-BLOC1S4 antibody (Alexa Fluor 350)

Overview

Quantity:	100 µL
Target:	BLOC1S4 (CNO)
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BLOC1S4 antibody is conjugated to Alexa Fluor 350
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CNO/Cappuccino
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	BLOC1S4 (CNO)
Alternative Name:	Cappuccino (CNO Products)
Background:	<p>Synonyms: Cappuccino, Cappuccino homolog, Cappuccino homolog, FLJ11230, Protein cappuccino, Protein cappuccino homolog, BL1S4_HUMAN, Biogenesis of lysosome-related organelles complex 1 subunit 4, BLOC-1 subunit 4, BLOC1S4, BCAS4L, CNO.</p> <p>Background: Biogenesis of lysosome-related organelles complex-1 (BLOC-1) is a multisubunit</p>

Target Details

protein necessary for biogenesis of specialized organelles of the endosomal-lysosomal system (such as melanosomes and platelet-dense granules). The complex consists of coiled-coil-forming proteins Snapin, Pallidin, Cappuccino, Muted, BLOS1, BLOS2, and BLOS3. The localization of these proteins varies as they can be cytoplasmic, peripheral membrane bound or anchored to the vesicular membrane. Cappuccino, a primarily cytoplasmic protein, plays a role in the development of melanosomes, platelet-dense granules and other lysosome-related organelles. It interacts primarily with pallidin and Muted and has been implicated as an actin-nucleation factor that may play a role in crosstalk between microfilaments and microtubules.

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months