# antibodies -online.com





## anti-SLURP1 antibody (Biotin)



Go to Product page

$\sim$			
	N/P	r\/I	i⊢₩

Quantity:	100 μL	
Target:	SLURP1	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SLURP1 antibody is conjugated to Biotin	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human SLURP1/ANUP	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	Purified by Protein A.	

## **Target Details**

Alternative Name: ANUP (SLURP1 Products)  Packground: Supplyme: Anti-packground: ANUD ADS ADS component R. ADScomponent	Target:	JRP1	
Packground: Cynanyma: Anti-pachlactic urinary protain ANUD ADC companent D. ADCcompanent	Alternative Name:	ANUP (SLURP1 Products)	
Background: Synonyms: Anti neoplastic urinary protein, ANUP, ARS, ARS component B, ARScomponent 81/S, ArsB, LY6LS, Lymphocyte antigen 6 like secreted, MDM, Results in cobblestone chan in the skin of the palm, Secreted Ly 6/uPAR related protein 1, Secreted LY6/PLAUR domain containing 1, Secreted Ly6/uPAR related protein 1, SLURP-1, SLURP1, SLURP1, HUMAN.			

Background: SLURP1, also known as MDM, ARS, ANUP (anti-neoplastic urinary protein), LY6LS or ArsB (ARS component B), is a 103 amino acid secreted protein that exists as a homodimer possessing antitumor activity. Found in esophagus, stomach, exocervix, gums, urine, sweat, saliva, plasma and tears, SLURP1 is most highly expressed in the acrosyringium of the granular layer of skin, where it helps maintain the structure of the keratinocyte layers of the skin. Also considered a marker for late skin differentiation, SLURP1 contains one UPAR/Ly6 domain and is the cause of an autosomal recessive disorder of the skin known as Mal de Meleda (MDM). MDM Is characterized by nail abnormalities, keratotic skin lesions, transgressive palmoplantar keratoderma (PPK), perioral erythema and may sometimes include hyperhidrosis.

Gene ID:

57152

## **Application Details**

Application Notes:	WB 1:300-5000
	IHC-P 1:200-400

Restrictions: For Research Use only

### Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	
Expiry Date:	12 months	