antibodies -online.com





anti-TCN2 antibody (Alexa Fluor 488)



| () | 1 / | \sim | KI / | 110 | Νę |
|-----|-----|----------|------|-----|-------|
| | 1// | \vdash | I \/ | 1 ← | ٠// ٢ |
| | | | | | |

| Quantity: | 100 μL | |
|--------------|---|--|
| Target: | TCN2 | |
| Reactivity: | Human, Mouse, Rat | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This TCN2 antibody is conjugated to Alexa Fluor 488 | |
| Application: | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human TCN2/Transcobalamin II | |
|-------------------|--|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human, Mouse, Rat | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | TCN2 | |
|-------------------|--|--|
| Alternative Name: | TCN2 (TCN2 Products) | |
| Background: | Synonyms: Macrocytic anemia, TC, TC II, TC-2, TC2, TCII, TCN 2, TCO2_HUMAN, | |
| | Transcobalamin 2, Transcobalamin II, Transcobalamin II, macrocytic anemia, Transcobalamin- | |
| | 2, Vitamin B12 binding protein 2. | |
| | Background: Transcobalamin I (TCI) and Transcobalamin II (TCII) are secreted proteins | |

Target Details

belonging to the eukaryotic cobalamin transport proteins family and also to the vitamin B12-binding protein family. The genes encoding these proteins map to chromosome 11q11-q12 and 22q12.2, respectively. Transcobalamin I is a constituent of secondary granules in neutrophils, while Transcobalamin II binds cobalamin and mediates its transport into cells. These plasma proteins are expressed in various tissues and secretions.

Gene ID:

6948

 $1 \mu g/\mu L$

Application Details

Concentration:

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|-----------------------|
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| FOITIIdt. | Liquiu |

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months