antibodies -online.com





anti-TCN2 antibody (Alexa Fluor 555)



		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

100 μL	
TCN2	
Human, Mouse, Rat	
Rabbit	
Polyclonal	
This TCN2 antibody is conjugated to Alexa Fluor 555	
Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
KLH conjugated synthetic peptide derived from human TCN2/Transcobalamin II	
IgG	
Human, Mouse, Rat	
Purified by Protein A.	
TCN2	
TCN2 (TCN2 Products)	
Synonyms: Macrocytic anemia, TC, TC II, TC-2, TC2, TCII, TCN 2, TCO2_HUMAN,	
Transcobalamin 2, Transcobalamin II, Transcobalamin II, macrocytic anemia, Transcobalamin-	
2, Vitamin B12 binding protein 2.	

Background: Transcobalamin I (TCI) and Transcobalamin II (TCII) are secreted proteins

Target Details

belonging to the eukaryotic cobalamin transport proteins family and also to the vitamin B12binding protein family. The genes encoding these proteins map to chromosome 11q11-q12 and 22q12.2, respectively. Transcobalamin I is a constituent of secondary granules in neutrophils, while Transcobalamin II binds cobalamin and mediates its transport into cells. These plasma proteins are expressed in various tissues and secretions.

Gene ID:

6948

 $1 \mu g/\mu L$

Application Details

Concentration:

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.

Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months