antibodies -online.com





anti-KCNJ5 antibody (Biotin)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	KCNJ5
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KCNJ5 antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
5 1 15 1 1	
Product Details	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human KCNJ5
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	KCNJ5	
Alternative Name:	KCNJ5 (KCNJ5 Products)	
Background:	Synonyms: inwardly rectying subfamily J member 5, Cardiac ATP sensitive potassium channel, Cardiac inward rectier, CIR, G protein activated inward rectier potassium channel 4, G protein-activated inward rectier potassium channel 4, GIRK 4, GIRK 4, GIRK 4, Heart KATP channel, Inward rectier K+ channel Kir3.4, Inward rectier K+ channel KIR3.4, IRK-4, IRK5_HUMAN, KATP	

1, KATP-1, KATP1, KCNJ 5, Kcnj5, KIR 3.4, KIR3.4, Potassium channel, Potassium channel
inwardly rectying subfamily J member 5, Potassium inwardly rectying channel J5, Potassium
inwardly rectying channel subfamily J member 5.

Background: Potassium channels are present in most mammalian cells, where they participate in a wide range of physiologic responses. The protein encoded by this gene is an integral membrane protein and inward-rectifier type potassium channel. The encoded protein, which has a greater tendency to allow potassium to flow into a cell rather than out of a cell, is controlled by G-proteins. It may associate with two other G-protein-activated potassium channels to form a heteromultimeric pore-forming complex. [provided by RefSeq, Jul 2008].

Gene ID: 3762

Pathways: Notch Signaling

Application Details

Application Notes: WB 1:300-5000 IHC-P 1:200-400

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months