antibodies - online.com





anti-C12orf53 antibody (Alexa Fluor 647)



\sim	+~	$D_{ra} \sim A$		page
(7()	1()	PIOO	11021	nace

	Θ_{W}

Overview	
Quantity:	100 μL
Target:	C12orf53
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C12orf53 antibody is conjugated to Alexa Fluor 647
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human C12ORF53	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

Target Details

rarget Details	
Target:	C12orf53
Alternative Name:	C120RF53 (C12orf53 Products)
Background:	Synonyms: Chromosome 12 open reading frame 53, DKFZp547D2210, Hypothetical protein LOC196500, Uncharacterized protein C12orf53, PIANP_HUMAN.
	Background: Encoding over 1,100 genes within 132 million bases, chromosome 12 makes up
	about 4.5 $\%$ of the human genome. A number of skeletal deformities are linked to chromosome

Target Details

12 including hypochondrogenesis, achondrogenesis and Kniest dysplasia. Noonan syndrome, which includes heart and facial developmental defects among the primary symptoms, is caused by a mutant form of PTPN11 gene product, SH-PTP2. Chromosome 12 is also home to a homeobox gene cluster which encodes crucial transcription factors for morphogenesis, and the natural killer complex gene cluster encoding C-type lectin proteins which mediate the NK cell response to MHC I interaction. Trisomy 12p leads to facial development defects, seizure disorders and a host of other symptoms varying in severity depending on the extent of mosaicism and is most severe in cases of complete trisomy. The C12orf53 gene product has been provisionally designated C12orf53 pending further characterization.

Gene ID:

196500

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months