



[Go to Product page](#)

Datasheet for ABIN1405680

## anti-CWH43 antibody (AA 540-590) (Alexa Fluor 647)

### Overview

Quantity:	100 µL
Target:	CWH43
Binding Specificity:	AA 540-590
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CWH43 antibody is conjugated to Alexa Fluor 647
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Western Blotting (WB)

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human CWH43
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

### Target Details

Target:	CWH43
Alternative Name:	CWH43 ( <a href="#">CWH43 Products</a> )
Background:	Synonyms: Cell wall biogenesis protein 43 C-terminal homolog, Cwh43, imds 60, PG2IP_HUMAN, PGAP2-interacting protein, CWH43-C, PGAP2IP

## Target Details

Background: Representing approximately 6 % of the human genome, chromosome 4 contains nearly 900 genes. Notably, the Huntingtin gene, which is found to encode an expanded glutamine tract in cases of Huntington's disease, is on chromosome 4. FGFR-3 is also encoded on chromosome 4 and has been associated with thanatophoric dwarfism, achondroplasia, Muenke syndrome and bladder cancer. Chromosome 4 is also tied to Ellis-van Creveld syndrome, methylmalonic acidemia and polycystic kidney disease. Chromosome 4 reportedly contains the largest gene deserts (regions of the genome with no protein encoding genes) and has one of the two lowest recombination frequencies of the human chromosomes. The CWH43 gene product has been provisionally designated CWH43 pending further characterization.

Gene ID: 80157

UniProt: [Q9H720](#)

Pathways: [Inositol Metabolic Process](#)

## Application Details

Application Notes: IF(IHC-P) 1:50-200

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months