antibodies - online.com







anti-MMAA antibody (Alexa Fluor 555)



\sim		D	1	page
(-()	10	PtCC	ויאווו	nane

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	MMAA
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MMAA antibody is conjugated to Alexa Fluor 555
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MMAA/cblA
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	MMAA
Alternative Name:	cblA (MMAA Products)
Background:	Synonyms: mitochondrial, cblA, MMAA protein, Methylmalonic aciduria cobalamin deficiency cblA type, Methylmalonic aciduria cobalamin deficiency type A, Methylmalonic aciduria type A protein, Methylmalonic aciduria type A protein mitochondrial, MMAA, MMAA_HUMAN. Background: The protein encoded by this gene is involved in the translocation of cobalamin into

Target Details

Storage Comment:

Expiry Date:

12 months

	the mitochondrion, where it is used in the final steps of adenosylcobalamin synthesis.
	Adenosylcobalamin is a coenzyme required for the activity of methylmalonyl-CoA mutase.
	Defects in this gene are a cause of methylmalonic aciduria. [provided by RefSeq, Jul 2008].
Gene ID:	166785
Pathways:	Monocarboxylic Acid Catabolic Process
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
	Liquid 1 μg/μL
Format:	
Format: Concentration:	1 μg/μL Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
Format: Concentration: Buffer:	$1~\mu g/\mu L$ Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.