

### Datasheet for ABIN1408124

# anti-TMED10 antibody (AA 101-200) (HRP)



Quantity:	100 μL
Target:	TMED10
Binding Specificity:	AA 101-200
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TMED10 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human TMP21
Isotype:	IgG
Specificity:	KO-Validated
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Chicken,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target: TMI		
-------------	--	--

Target Details	
Alternative Name:	TMP21 (TMED10 Products)
Background:	Synonyms: p23, p24 family protein delta 1, p24delta, p24delta1, S31I125, S31II125, TMED 10,
	TMED10, Tmp 21 I, Tmp 21, Tmp 21 I, Transmembrane emp24 domain containing protein 10,
	Transmembrane emp24-like trafficking protein 10 yeast, Transmembrane protein Tmp21,
	Transmembrane trafficking protein 21kD, 1110014C03Rik, 21 kDa transmembrane trafficking protein, MGC102351, TMEDA_HUMAN.
	Background: MP21 is a member of the EMP24/GP25L/p24 cargo family of proteins that
	regulates vesicular trafficking in the early secretory pathway. TMP21 is a ubiquitously
	expressed single-pass type I membrane protein localizing to the Golgi cisternae and the plasma
	membrane. It contains one GOLD (Golgi dynamics) domain and participates in protein transport
	and quality control between the endoplasmic reticulum (ER) and the Golgi complex. In addition,
	TMP21 is a component of the heteromeric secretase complex (or Presenilin complex) and
	functions to regulate the ?secretase activity. Two isoforms, namely TMP21-I and TMP21-II,
	exist for this protein.
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin

handled by trained staff only.

peroxidase.

-20 °C

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish

Precaution of Use:

Handling Advice:

Storage:

# Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months