

Datasheet for ABIN1408352

**anti-INSL3 antibody (AA 11-110) (HRP)**[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	INSL3
Binding Specificity:	AA 11-110
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This INSL3 antibody is conjugated to HRP
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human INSL3
Isotype:	IgG
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

## Target Details

Target:	INSL3
Alternative Name:	INSL3 ( <a href="#">INSL3 Products</a> )
Background:	Synonyms: INSL 3, INSL-3, INSL3_HUMAN, Insulin like 3, Insulin-like 3 A chain, Ley IL, Ley-I-L,

## Target Details

Leydig insulin like peptide, Leydig insulin-like peptide, Relaxin like factor, Relaxin-like factor, RLF, RLNL.

Background: This gene encodes a member of the insulin-like hormone superfamily. The encoded protein is mainly produced in gonadal tissues. Studies of the mouse counterpart suggest that this gene may be involved in the development of urogenital tract and female fertility. This protein may also act as a hormone to regulate growth and differentiation of gubernaculum, and thus mediating intra-abdominal testicular descent. Mutations in this gene may lead to cryptorchidism. Alternate splicing results in multiple transcript variants. [provided by RefSeq, May 2012].

Pathways: [Hormone Activity](#), [cAMP Metabolic Process](#)

## Application Details

Application Notes: IHC-P 1:200-400  
IHC-F 1:100-500

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months