antibodies -online.com





Co to Droduct page

Datasheet for ABIN1408550

Target Details

Target:

anti-APBA1 antibody (AA 451-550) (HRP)

APBA1

| | Go to Product page |
|-----------------------|---|
| Overview | |
| Quantity: | 100 μL |
| Target: | APBA1 |
| Binding Specificity: | AA 451-550 |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This APBA1 antibody is conjugated to HRP |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic peptide derived from human APBA1 |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse |
| Predicted Reactivity: | Rat,Dog,Cow,Sheep,Pig,Chicken |
| Purification: | Purified by Protein A. |

Alternative Name: APBA1 (APBA1 Products)

Target Details

| l arget Details | | |
|---------------------|--|--|
| Background: | Synonyms: Adapter protein X11 alpha; Adapter protein X11alpha; Amyloid beta A4 precursor | |
| | protein-binding family A member 1; Apba1; APBA1_HUMAN; Mint 1; Mint-1; Neuron specic X11 | |
| | protein; Neuron-specic X11 protein; Neuronal Munc18 1 interacting protein 1; Neuronal | |
| | Munc18-1-interacting protein 1; UROP11; x11; X11alpha. | |
| | Background: The Beta-Amyloid precursor protein (Beta-APP) is a major constituent of the | |
| | amyloid deposits in patients with Alzheimer?s disease. The Beta-Amyloid precursor is known to | |
| | interact with several proteins, including X11 and the G heterotrimetric protein APP-BP1. The | |
| | neuronal, transmembrane protein X11 is known to bind to the -Amyloid precursor protein via a | |
| | phosphotyrosine binding (PTB) domain, reducing the secretion of cellular Beta-APP and slowing | |
| | Beta-APP processing pathways. X11 binds specifically to the YENPTY motif, which is involved | |
| | in the internalization of Beta-APP. Multiple splice varitents of X11 have been identified, including | |
| | X11å (also designated Mint 1), X11Beta (Mint 2) and X11(Mint 3). | |
| Pathways: | Synaptic Vesicle Exocytosis, Dicarboxylic Acid Transport | |
| Application Details | | |
| Application Notes: | WB 1:300-5000 | |
| | IHC-P 1:200-400 | |
| | IHC-F 1:100-500 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | |
| | 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Handling Advice: | Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish | |

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

peroxidase.

-20 °C

Storage:

Storage Comment:

| | | 1. | |
|----------|-------|------|---|
| \vdash | land | lın | |
| | ıaııu | 1111 | U |
| | | | |

Expiry Date:

12 months