# antibodies .- online.com





# anti-Synaptogyrin 3 antibody (AA 101-200) (Cy5.5)



( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μL	
Target:	Synaptogyrin 3 (SYNGR3)	
Binding Specificity:	AA 101-200	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Synaptogyrin 3 antibody is conjugated to Cy5.5	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Synaptogyrin 3	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	Synaptogyrin 3 (SYNGR3)	
Alternative Name:	Synaptogyrin 3 (SYNGR3 Products)	

## **Target Details**

Background:	Synonyms: SNG3_HUMAN, Synaptogyrin 3, Synaptogyrin-3, Synaptogyrin3, SYNGR 3, SYNGR3,		
	SYNGR-3, MGC:20003, MGC20003, OTTHUMP00000158899.		
	Background: The synaptogyrin family of proteins are integral membrane proteins containing		
	four transmembrane regions. Synaptogyrins are tyrosine-phosphorylated proteins with two		
	neuronal (Synaptogyrins 1 and 3) and one ubiquitous (Synaptogyrin-2) isoform. Synaptophysin		
	and synaptogyrin represent the major constituents of synaptic vesicles. Synaptogyrin-1 is		
	associated with presynaptic vesicles in neuronal cells. Synaptogyrin-2, also known as Cellugyrin		
	has a tyrosine phosphorylated C-terminal cytoplasmic tail, and is involved in the regulation of		
	membrane traffic in non-neuronal cells. Synaptogyrin-3 is expressed mainly in brain and		
	placenta. The SYNGR4 gene encodes for the 234 amino acid protein Synaptogyrin-4.		
Gene ID:	9143		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
Expiry Date:	12 months		