antibodies .- online.com





anti-Synaptogyrin 3 antibody (AA 101-200) (Cy7)



| \sim | | | |
|--------|----|-----|----|
| U | ve | rvi | ew |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | Synaptogyrin 3 (SYNGR3) |
| Binding Specificity: | AA 101-200 |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This Synaptogyrin 3 antibody is conjugated to Cy7 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human Synaptogyrin 3 | |
|-----------------------|--|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Mouse | |
| Predicted Reactivity: | Human,Rat,Dog,Cow,Sheep,Pig,Horse | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | Synaptogyrin 3 (SYNGR3) |
|-------------------|----------------------------------|
| Alternative Name: | Synaptogyrin 3 (SYNGR3 Products) |

Target Details

| Background: | Synonyms: SNG3_HUMAN, Synaptogyrin 3, Synaptogyrin-3, Synaptogyrin3, SYNGR 3, SYNGR3, | |
|---------------------|--|--|
| | SYNGR-3, MGC:20003, MGC20003, OTTHUMP00000158899. | |
| | Background: The synaptogyrin family of proteins are integral membrane proteins containing | |
| | four transmembrane regions. Synaptogyrins are tyrosine-phosphorylated proteins with two | |
| | neuronal (Synaptogyrins 1 and 3) and one ubiquitous (Synaptogyrin-2) isoform. Synaptophysin | |
| | and synaptogyrin represent the major constituents of synaptic vesicles. Synaptogyrin-1 is | |
| | associated with presynaptic vesicles in neuronal cells. Synaptogyrin-2, also known as Cellugyrin | |
| | has a tyrosine phosphorylated C-terminal cytoplasmic tail, and is involved in the regulation of | |
| | membrane traffic in non-neuronal cells. Synaptogyrin-3 is expressed mainly in brain and | |
| | placenta. The SYNGR4 gene encodes for the 234 amino acid protein Synaptogyrin-4. | |
| Gene ID: | 9143 | |
| Application Details | | |
| Application Notes: | IF(IHC-P) 1:50-200 | |
| | IF(IHC-F) 1:50-200 | |
| | IF(ICC) 1:50-200 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | |
| | 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Storage: | -20 °C | |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 12 months | |
| | | |