

### Datasheet for ABIN1408922

# anti-EXOC3 antibody (AA 714-756) (HRP)



#### Overview

Alternative Name:

Quantity:	100 μL
Target:	EXOC3
Binding Specificity:	AA 714-756
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EXOC3 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human EXOC3
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	EXOC3

rSec6 (EXOC3 Products)

### Target Details

Background:	Synonyms: EXOC 3, EXOC3, Exocyst complex component 3, Exocyst complex component Sec
	6, Exocyst complex component Sec6, rSec 6, Sec 6, Sec 6 homolog, Sec 6p, Sec6, SEC6
	L1, SEC6 like 1, Sec6 protein, SEC6L1, Sec6p, EXOC3_HUMAN.
	Background: The protein encoded by this gene is a component of the exocyst complex, a
	multiple protein complex essential for targeting exocytic vesicles to specific docking sites on
	the plasma membrane. Though best characterized in yeast, the component proteins and
	functions of exocyst complex have been demonstrated to be highly conserved in higher
	eukaryotes. At least eight components of the exocyst complex, including this protein, are found
	to interact with the actin cytoskeletal remodeling and vesicle transport machinery. The complex
	is also essential for the biogenesis of epithelial cell surface polarity.
Gene ID:	11336
UniProt:	060645
Pathways:	Peptide Hormone Metabolism, Synaptic Vesicle Exocytosis
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish
	peroxidase.
Storage:	-20 °C

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months