

Datasheet for ABIN1408990

anti-MC2R antibody (AA 67-105) (Cy5)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	MC2R
Binding Specificity:	AA 67-105
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MC2R antibody is conjugated to Cy5
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MC2 receptor
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog
Purification:	Purified by Protein A.

Target Details

Target:	MC2R
Alternative Name:	ACTHR (MC2R Products)
Background:	Synonyms: ACTH receptor, ACTH-R, ACTHR, ACTHR_HUMAN, Adrenocorticotrophic hormone

Target Details

receptor, Adrenocorticotropin receptor, MC2-R, MC2R, Melanocortin 2 receptor, Melanocortin receptor 2.

Background: MC2R encodes one member of the five-member G-protein associated melanocortin receptor family. Melanocortins (melanocyte-stimulating hormones and adrenocorticotrophic hormone) are peptides derived from pro-opiomelanocortin (POMC). MC2R is selectively activated by adrenocorticotrophic hormone, whereas the other four melanocortin receptors recognize a variety of melanocortin ligands. Mutations in MC2R can result in familial glucocorticoid deficiency.

Gene ID: 4158

Pathways: [cAMP Metabolic Process](#)

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months