# antibodies -online.com





# anti-DISP2 antibody (AA 1101-1200) (Cy5.5)



Go to Product page

$\sim$					
( )	\/	Δ	r١	/1	۱۸.

Quantity:	100 μL	
Target:	DISP2	
Binding Specificity:	AA 1101-1200	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DISP2 antibody is conjugated to Cy5.5	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human DISP2	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse	
Purification:	Purified by Protein A.	

# **Target Details**

Target:	DISP2	
Alternative Name:	DISP2 (DISP2 Products)	
Background:	: Synonyms: DISPB, HsT16908, Protein dispatched homolog 2, DISP2, KIAA1742	

Background: DISP2 is the second of three known homologs of the D.melanogaster protein Dispatched. It is a multitransmembrane protein containing two PTCH/DISP domains and is thought to be involved in the release of lipid-anchored Hedgehog from producing cells. Hedgehog is a major player in signaling pathways during embryogenesis, tissue regeneration, and carcinogenesis and the DISP proteins have been implicated in these pathways. Recently, it has been shown that DISP2 is translationally regulated by the microRNA miR-214 in zebrafish. Expression of this miRNA decreased DISP2 promoter activity in vitro and its overexpression in zebrafish resulted in a phenotype identical to that observed by DISP2 mutants. At least two isoforms of DISP2 are known to exist.

Gene ID: 85455

UniProt: A7MBM2

Pathways: Hedgehog Signaling

#### **Application Details**

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months